

FROST HARDINESS

Following the severe frosts of 27-7-07 – Initial observations are on the foliage “burn” and it remains to be seen whether the stems/trunks die or merely re-shoot.

Key: D = dead

S = survived but only just; sprouting lower down

R = recovering well

Resistant

Species	Common Name	Notes
<i>Acacia fimbriata</i>	Brisbane wattle	
<i>Acacia disparrima</i>	hickory wattle	
<i>Acacia falcata</i>	silver-leaved wattle	
<i>Acacia leiocalyx</i>	black wattle	
<i>Acacia melanoxylon</i>	blackwood	
<i>Agathis robusta</i>	kauri pine	
<i>Allocasuarina littoralis</i>	black she-oak	
<i>Allocasuarina torulosa</i>	rose she-oak	
<i>Araucaria bidwillii</i>	bunya pine	
<i>Araucaria cunninghamii</i>	hoop pine	
<i>Banksia integrifolia</i>	coast banksia	
<i>Brachychiton discolor</i>	lacebark tree	
<i>Calistemon salignus</i>	white bottlebrush	
<i>Callistemon viminalis</i>	weeping bottlebrush	
<i>Casuarina cunninghamiana</i>	river she-oak	
<i>Casuarina glauca</i>	swamp she-oak	
<i>Corymbia citriodora</i>	spotted gum	
<i>Corymbia tessellaris</i>	carbeen, Moreton Bay ash	
<i>Crinum pedunculatum</i>	river lily	
<i>Croton insularis</i>	silver croton	
<i>Cupaniopsis anacardioides</i>	tuckeroo	
<i>Elaeocarpus eumundi</i>	Eumundi quandong	
<i>Elaeocarpus obovatus</i>	hard quandong	
<i>Elaeocarpus reticulatus</i>	blueberry ash	
<i>Eucalyptus grandis</i>	rose/flooded gum	
<i>Eucalyptus microcorys</i>	tallow wood	
<i>Eucalyptus moluccana</i>	grey/gum-topped box	
<i>Eucalyptus ptychocarpa</i>	spring bloodwood	
<i>Eucalyptus tereticornis</i>	forest red/blue gum	
<i>Flindersia australis</i>	crows ash	
<i>Gossia bidwillii</i>	python tree, ironwood, lignum	
<i>Grevillea robusta</i>	southern silky oak	
<i>Guioa semiglauca</i>	wild quince	
<i>Hymenosporum flavum</i>	native frangipani	
<i>Letospermum polygalifolium</i>	wild may	
<i>Melaleuca bracteata</i>	river/black tea tree	
<i>Melia azedarach</i>	white cedar	
<i>Pittosporum viscidum</i>	prickly citriobatus	
<i>Pleiogynium timorense</i>	Burdekin plum	
<i>Podocarpus elatus</i>	brown pine	

<i>Stenocarpus sinuatus</i>	wheel-of-fire tree	
<i>Streblus brunonianus</i>	whalebone tree	
<i>Syzygium australe</i>	brush cherry	
<i>Syzygium floribundum</i>	weeping satinash	
<i>Tristaniopsis laurina</i>	watergum	

Moderately Susceptible

Species	Common Name	Notes
<i>Acmena hemilampra</i>	broad-leaved lilly pilly	
<i>Acmena ingens</i>	red apple	
<i>Acmena smithii</i>	creek lillypilly	R
<i>Alphinia caerulea</i>	native ginger	R
<i>Barklya syringifolia</i>	golden shower tree	R
<i>Argyrodendron actinophyllum</i>	tulip oak	
<i>Backhousia citriodora</i>	lemon-scented myrtle	
<i>Brachychiton acerifolius</i>	flame tree	R
<i>Callerya megasperma</i>	native wisteria	R
<i>Castanospermum australe</i>	black bean	
<i>Cryptocarya sclerophylla</i>	hard cryptocarya	
<i>Cupaniopsis serrata</i>	smooth tuckeroo	
<i>Decaspermum humile</i>	silky myrtle	
<i>Diploglottis campbellii</i>	small-leaved tamarind	R
<i>Dysoxylum fraserianum</i>	rose mahogany, rosewood	
<i>Endiandra pubens</i>	hairy walnut	
<i>Ficus coronata</i>	sandpaper fig	
<i>Ficus fraseri</i>	white sandpaper fig	R
<i>Ficus obliqua</i>	figwood	R
<i>Ficus rubignosa</i>	rusty fig	R
<i>Ficus virens</i>	white fig	R
<i>Ficus watkinsiana</i>	strangler fig	R
<i>Flindersia schottiana</i>	cudgerie	R
<i>Graptophyllum spinigerum</i>	Samford holly	
<i>Guioa semiglauca</i>	wild quince	R
<i>Leptospermum petersonii</i>	lemon scented tea tree	R
<i>Lophostemon confertus</i>	brush box	
<i>Lophostemon suaveolens</i>	swamp mahogany	
<i>Macadamia integrifolia</i>	bauple nut	R
<i>Macadamia tetraphylla</i> #	rough-shelled macadamia	R
<i>Mallotus claoxyloides</i>	smell-of-the-bush	R
<i>Mallotus philippensis</i>	red kamala	R
<i>Mischarytera lautereriana</i>	corduroy tamarind	
<i>Neolitsea australiensis</i>	green bolly gum	
<i>Omаланthus populifolius</i>	native bleeding heart	R
<i>Pararchidendron pruinosum</i>	tulip iris, snowwood	
<i>Pilidiostigma rhytispermum</i>	small-leaved plum myrtle	
<i>Pittosporum undulatum</i>	sweet daphne	R
<i>Pleiogygium timorense</i>	Burdekin plum	

<i>Pseudoweinmannia lachnocarpa</i>	rose marara	
<i>Psydrax odoratum</i>	shiny-leaved canthium	
<i>odomyrtus psidiodes</i>	native guava	R
<i>Rapanea variabilis</i>	muttonwood	
<i>Synoum glandulosum</i>	scentless rosewood	R
<i>Syzygium francissii</i>	giant water gum	
<i>Syzygium luehmannii</i>	riberry	R
<i>Syzygium oleosum</i>	blue lilly pilly	R

Key: D = dead

S = survived but only just; sprouting lower down

R = recovering well

Very Susceptible

Species	Common Name	Notes
<i>Alphitonia excelsa</i>	red ash	R
<i>Alphitonia petriei</i>	pink ash	R
<i>Archontophoenix alexandrae</i>	Alexander palm	D, R
<i>Asplenium nidus</i>	bird's nest fern	R,S
<i>Beilschmiedia obtusifolia</i>	blush walnut	
<i>Cassia brewsteri</i>	Brewster's cassia	R
<i>Clerodendrum floribundum</i>	lolly bush	R,S
<i>Commersonia bartramia</i>	brown kurrajong	S,R
<i>Cordyline petiolaris</i>	broad-leaved palm lilly	R
<i>Cordyline rubra</i>	red-fruited palm lilly	R
<i>Cordyline stricta</i>	narrow-leaved cordylines	R
<i>Cyathea australis</i>	common treefern	R
<i>Elaeocarpus grandis</i>	silver quandong	D,S
<i>Eugenia reinwardtiana</i>	beach cherry	S
<i>Euroschinus falcata</i>	ribbonwood	R
<i>Ficus obliqua</i>	small-leaved fig	S
<i>Flindersia bennettiana</i>	Bennett's ash	
<i>Harpullia pendula</i>	tulipwood	R
<i>Harpullia hillii</i>	blunt-leaved tulipwood	
<i>Hibiscus heterophyllus</i>	native hibiscus	S
<i>Jagera pseudorhus</i>	pink foambark	R
<i>Macaranga tanarius</i>	macaranga	D,S
<i>Melaleuca dealbata</i>	dusky leaved paperbark	S,R
<i>Melastome affine</i>	blue tongue	D,S
<i>Melicope elleryana</i>	butterfly tree, pink evodia	S
<i>Pipturus argenteus</i>	native mulberry	D,S
<i>Rhodosphaera rhodanthema</i>	tulip satinwood, deep yellowwood	R
<i>Sterculia quadrifida</i>	red-fruited kurrajong, peanut tree	R
<i>Syzygium francisii</i>	giant watergum, rose satinash	S
<i>Wikstroemia indica</i>	tie bush	
<i>Xanthostemon chrysanthus</i>	golden penda	R

Key: D = dead

S = survived but only just; sprouting lower down

R = recovering well