



Noosa & District
Landcare

PRICE LIST: PLANT SPECIES AS AT FEBRUARY 2018

NOOSA & DISTRICT LANDCARE RESOURCE CENTRE

ABN: 73 315 096 794

Station Street, POMONA (opposite the pub)

Ph: (07) 5485 2468

Open Tuesday – Friday 09:30am to 3:30pm
Saturday 09:00am to 12:00pm (midday)

TUBE STOCK PRICES (including GST)

Please note that our prices were increased on 1.7.17

Tube stock: \$2.25

Super tubes: \$3.50

Kauri, Brown & Hoop pines: \$2.50

Bunya pines: \$3.50

Specials: \$1.00

* Orders 101-500: \$2.00

* Orders 501 plus: \$1.65

* Orders over 1000 – price negotiable

* Larger pots as marked

** Members receive 10% - 20% discount on plants**

Please phone 5485 2468 for enquiries or come in and see us today!



**Join us on
Facebook**

Plant Species
<i>Abildgaardia ovata</i> FLATSPIKE SEDGE NEW Native perennial, tufted hairless sedge to 30cm. Flowers during spring and summer. Soft grassy foliage that lends itself to soft lines along garden beds or rockeries.
<i>Acacia falcata</i> SILVER-LEAFED WATTLE Medium shrub or small tree to 3m. Fast-growing pioneer species that grows well in a sunny, reasonably well-drained position. Flowers are white/yellow puffballs and appear May/June.
<i>Acacia fimbriata</i> BRISBANE WATTLE Shrub or bushy small tree to 4m. Hardy and fast growing. Attractive ferny semi-weeping foliage. Flowers are scented yellow fluffy balls in winter.
<i>Acacia hubbardiana</i> YELLOW PRICKLY MOSES A small open shrub 50cm to 2m. Cream coloured ball-flowers in late winter and spring. Suitable for most soils but ideal for poorly drained areas. Sun or semi-shade.
<i>Acacia leiocalyx</i> LAMB'S TAIL WATTLE Small open forest pioneer tree. Hardy and fast growing in a variety of situations. Long narrow twisted seed pods follow the yellow fluffy flowers spikes that present in the winter months.
<i>Acacia maidenii</i> MAIDEN'S WATTLE Small spreading tree to 10m. Flowers are pale yellow spikes up to 6 cm long. Grows well in most types of soil. Prefers full sun to partial shade and it is often found on the margins of rainforest and in wet sclerophyll forest. Frost tolerant.
<i>Acacia o'shanessii</i> IRISH WATTLE Large shrub or small tree ± 6m. Pale yellow edible aromatic flowers throughout the year. Hardy and fast growing but prefers ample moisture and well-drained soil.
<i>Acacia suaveolens</i> SWEET WATTLE Small open coastal shrub 1 to 2m tall. Sweet-scented pale cream flowers May–Nov attract birds. Flat, violet to blue-black seed pods. Hardy in well drained coastal soils but also grows on deeper/heavier soils. Frost tolerant and resistant to salt spray.
<i>Alectryon tomentosus</i> HAIRY BIRDS EYE Small to Medium Tree 10m-15m. Small Cream-pink flowers. TOXIC black seed. The red aril around the seed is edible. A hardy bushy pioneer species found in all types of rainforest.
<i>Allocasuarina littoralis</i> BLACK SHE-OAK Open forest tree to 10m. Black fissured bark. Hardy, adaptable and fast growing in variety of sites. Black cockatoo feed tree. Suitable for cabinet work.
<i>Alocasia brisbanensis</i> CUNJEVOI Rainforest clumping plant with large spade-like leaves. Fragrant but poisonous yellow-green flower – juicy but toxic, sweet-smelling red fruit. Prefers semi-shaded moist sites. Soil type not critical.
<i>Alphitonia excelsa</i> RED ASH Medium to large pioneer tree ± 15m. Hardy and adaptable, fast growing. Masses of tiny white flowers followed by black berries attracts birds. Cabinet timber uses.
<i>Alpinia caerulea</i> NATIVE GINGER Bushtucker Clumping plant to 1.5m. Understorey species, likes shady moist site. Bright blue berries attract birds. Fruit, leaves and tuberous roots are edible and make a tasty addition to salads.
<i>Araucaria bidwillii</i> BUNYA PINE Bushtucker Rainforest tree to 50m, valuable timber species. Large, heavy (to 7kg) edible nuts. Prefers deep, rich soil but very tough, withstanding frost, low moisture and strong wind.
<i>Araucaria cunninghamii</i> HOOP PINE Rainforest tree to 50m. Trunk straight, timber highly prized. Hardy, slow-growing unless well-fertilised. Needs good drainage. Excellent tub plant.

<i>Archontophoenix cunninghamiana</i> BANGALOW - PICCABEEN PALM Medium to tall graceful feather palm to 25m with pinkish-mauve flowers in drooping panicles August – December, followed by bright red berries December – May. Wildlife of many species are attracted to this palm including lorikeets, fruit doves, king parrots, rosellas, koels, honeyeaters and native pigeons.
<i>Austromyrtus dulcis</i> MIDYIM Bushtucker Low spreading shrub to 50cm, adaptable to most soils, dry or moist, sun or part shade. Masses of white flowers during spring and summer, followed by white, edible sweet berries. Attractive reddish new growth.
<i>Baeckea frutescens</i> WEEPING BAECKEA Weeping woody shrub 1m-3m tall. Produces masses of white flowers from October through to November. A hardy shrub that can be regularly pruned to encourage a bushier growth.
<i>Banksia aemula</i> BANKSIA AEMULA Small spreading native tree to 5m. Golden conical flower spikes in Autumn and Winter. Grows in sandy soils along coastal wallum communities. Attracts honey-eating birds
<i>Banksia integrifolia</i> COASTAL BANKSIA Food source for the Yellow-tailed Black Cockatoo. Small open tree to 8m. Stiff yellow flower spikes throughout the year. Hardy on well drained soils in exposed positions in sun or partial shade.
<i>Banksia oblongifolia</i> DWARF BANKSIA Small multi-stemmed low woody shrub 1m-2m. Pale yellow flower spikes that fruit into cones. Suits Eucalypt forest habitats.
<i>Banksia robur</i> SWAMP BANKSIA or BROAD LEAVED BANKSIA Low spreading shrub 1-1.5m. Aquamarine flower spikes turning to greenish-yellow. Grows in poorly drained soil but also withstands drought conditions. Prefers a sunny position.
<i>Banksia spinulosa</i> HAIRPIN BANKSIA Drought-tolerant from a very early age; frost-resistant; tolerates a wide range of soil types. It is multi-stemmed fuzzy blanchets This decorative shrub makes an ideal winter flowering plant.
<i>Barklya syringifolia</i> BARKLYA – CROWN OF GOLD Dense rainforest shrub to 7m. Racemes of golden flowers in early summer. Fairly hardy and adaptable in well-drained soil. Slow growing at first.
<i>Brachychiton acerifolius</i> FLAME TREE Bushtucker Medium to large rainforest tree 12 to 35m. Hardy and fast growing. Presents a stunning display of red, bell-shaped flowers in panicles in October through to January.
<i>Callerya megasperma</i> NATIVE WISTERIA Vigorous, woody rainforest climber. Pendulous clusters of pale purple and white flowers in spring. Hardy and fast growing with adequate moisture.
<i>Callitris columellaris</i> COASTAL CYPRESS PINE Medium to large conical tree to 20m. Attractive coppery, winged seeds. Hardy in a variety of situations; suits sandy well-drained soils; cones attracts cockatoos, rosellas and galahs.
<i>Carpobrotus glaucescens</i> PIG FACE Bushtucker Perennial, fleshy ground cover of coastal dunes (used for dune stabilisation), pink flowers in summer months. Fruit can be eaten raw, leaves used for marine stings, insect bites and sunburn. Attractive addition in a coastal garden/rockery.
<i>Carex appressa</i> TUSSOCK SEDGE Perennial clumping grass-like plant to 1m. Rusty brown flowers and seed heads spring to summer. Suits wet and dry sandy loam and clay loams; prefers damp soils but also adapts to well-draining situations. Frost hardy. Full sun to part shade.

<i>Carissa spinarum</i> CONKERBERRY/ BUSH PLUM Bushtucker Spreading shrub 1m to 2m with fragrant white flowers. Fruit is edible berry and glossy purple-black. Grows in hardy conditions in well drained soils, full sun or partial shade.
<i>Cassia brewsteri</i> LEICHHARDT BEAN Beautiful rainforest tree ±10m. Adaptable to various well drained soils; tolerates dry conditions. Showy red and yellow pendulous flowers (flowers when quite young), attractive glossy foliage.
<i>Castanospermum australe</i> BLACK BEAN Medium rainforest tree to +12m. Dark green glossy leaves. Yellow to red flowers in late spring. Prefers a well-drained site on alluvial soils but will manage clay. Once established it is hardy in sun or partial shade.
<i>Casuarina glauca</i> SWAMP SHE-OAK Small tree 6 to 16 metres. An ornamental tree, robust and erect, that has a surprising tolerance to a diversity of conditions, tolerating salinity, drought, exposure and also wet and swampy conditions
<i>Cissus hypoglauca</i> WATER VINE NEW Large woody rainforest climbing vine or small shrub with small yellow flowers with dark purple fruits. Suits moist conditions in a sheltered position. Can also trim into a small shrub or use as a trestle plant.
<i>Citrus australasica</i> var. <i>sanguinea</i> FINGER LIME Can be grown in a range of different soil types. Prefers a well-drained sheltered position; tolerates light frost. In its natural habitat the finger lime grows as an understorey shrub or tree up to 6 metres.
<i>Commersonia bartramia</i> BROWN KURRAJONG Hardy and fast growing pioneer rainforest species to 10m. Masses of white flowers in summer, pale trunk. Horizontally-layered appearance of the foliage are very attractive. Frost-tender when young.
<i>Cordyline rubra</i> CORDYLINE RUBRA Medium large leafed shrub 2m-3m. Large broad leafed foliage with intensive pink new growth. Can be positioned in full sun or shade. Present a pink to white flower along a panicle.
<i>Corymbia intermedia</i> BLOODWOOD 'Koala Food Tree' Medium to tall tree 10–36m with moderately dense canopy. Masses of white flowers in panicles Dec-May. Hardy in all soil types. Flowers attracts many species of wildlife.
<i>Cryptocarya hypospoda</i> RIB-FRUIT PEPPER-BERRY/NORTHERN LAUREL Medium rainforest tree to 30m. The flowers are pale brown, cream or green. Produces black berries which attract birds. This species also attracts bees and butterflies. Timber production is favourable.
<i>Cupaniopsis anacardioides</i> TUCKEROO Rainforest tree to 10m or more. Hardy, salt tolerant and a good shade tree with attractive foliage. Orange edible fruit attracts birds.
<i>Cyperus virens</i> GREEN FLAT SEDGE NEW <i>Long soft perennial</i> grassy sedge to 40cm. Flower spike extend longer than foliage. Is adaptable to rainforest settings or soft lines in gardens and among rocks.
<i>Denhamia celastroides</i> DENHAMIA Large Shrub or small tree 7m to 15m. refers enriched soils and some shade. Slow-growing, excellent shade tree. Grows well in rainforest margins and eucalypt forests. Creamy-white to green flower spikes in spring followed by orange-yellow fruit capsules.
<i>Dodonea triquetra</i> NATIVE HOP BUSH Shrub of open forest to 2m. Hardy and fast growing. Suitable for moist or dry area. Clusters of papery-winged, lime green seed capsules turn purple with age. Seeds are a food source for the Pale-headed Rosella.

<i>Dysoxylum mollissimum</i> subsp. <i>molle</i> MIVA MAHOGANY, RED BEAN, PENCIL CEDAR Tall rainforest tree ± 15m. Clusters of cream flowers in autumn followed by round golden-brown fruit. Fairly fast growing with adequate moisture, in most well-drained soils. When cut the light bark of this tree smells like onion or turnip. Found in rainforest and gallery forests.
<i>Ehretia acuminata</i> KODA Rainforest tree to 10m. Briefly deciduous, hardy and fast growing, tolerates moist sites. White-scented flowers and large panicles of orange bird-attracting berries in summer.
<i>Elaeocarpus grandis</i> BLUE QUANDONG Large, very fast-growing, buttressed rainforest tree to 40m or more. Tolerates a range of situations but prefers ample moisture. Withstands full sun but only a light frost. White bell flowers and large clusters of deep blue fruit attract birds and wildlife. Excellent for revegetation and cabinet timber.
<i>Elaeocarpus obovatus</i> HARD QUANDONG Medium to large rainforest tree to 30 metres, Creamy-white fringed, bell-shaped flowers Sept-November. Small bright blue fruits January-March. Prefers some shelter and moisture. Found in the subtropical, dry and littoral rainforests.
<i>Eucalyptus cloeziana</i> GYMPIE MESSMATE To 35m. White flowers spring to summer. Dark brown flakey bark. Grows rapidly on rich coastal soils. Eucalyptol from leaves can be used for the treatment of bronchitis, coughs and flues. A popular tree for birds, marsupials, bats and bees.
<i>Eucalyptus grandis</i> ROSE GUM ' Koala Food Tree' Very tall tree of open forest and rainforest to 60m, valuable timber species. Prefers fertile soils and adequate moisture. Drops large limbs in wind/storms.
<i>Eucalyptus siderophloia</i> GREY IRONBARK ' Koala Food Tree ' Tall erect gum to 15m. Branches persistent to almost ground level; hard red timber used in building construction. Hard dark bark and a drooping canopy. Leaves are a secondary food source for Koalas and Greater Gliders.
<i>Eucalyptus propinqua</i> GREY GUM ' Koala Food Tree ' A large tree to 40m. With a moderately dense and drooping canopy and beautiful smooth grey bark, peeling to reveal orange new bark.
<i>Ficinia nodosa</i> KNOBBLY CLUB RUSH Tufting perennial sedge to 90cm; globular brownish flower heads throughout the year followed by black shining nuts. Tough and hardy, it is ideal for waterlogged and saline soils.
<i>Ficus obliqua</i> SMALL-LEAVED FIG Large, strangling rainforest tree to 25m without a host (much taller with a host). Yellow fruit year round attracts a range birds including fruit doves, rainforest pigeons and bowerbirds.
<i>Ficus rubiginosa</i> ROCK FIG/RUSTY FIG Small rainforest tree ±15m. Bears yellow figs that ripen to red throughout the year and attracts birds. Very hardy in various conditions. Sun or partial shade.

Flindersia bennettiana BENNETT'S ASH

Tall rainforest tree to 40m, usually much smaller. Heavy panicles of small white flowers Aug-Oct. Large decorative, green fruit capsules. Adapted to sandy, basaltic or acid volcanic soils. Requires free drainage. Fast growing once established.

Freycinetia scandens CLIMBING PANDANUS

Rambling rainforest climber. Flowers are terminal rosettes of white; bright red edible fruit that grow in threes. Thrives where it can climb trees or trellises but will also grow along the ground rambling into a matt cover.

Goodenia rotundifolia STAR GOODENIA

Perennial herb groundcover. Bright yellow flowers throughout the year. The fruits are small and round with pale brown seeds. This species is hardy and versatile and can adapt from full sun to an understorey situation.

Guioa semiglaucra WILD QUINCE

Small rainforest tree to 10m. Yellowish-green flowers appearing in spring. Fruit a bird-attracting green lobed capsule. Fast growing and versatile; good re-vegetation species. A small rainforest tree whose fast growth is important for rainforest regeneration.

Hakea actites HAKEA GIBBOSA—PRICKLY HAKEA

Woody wallum shrub ± 2m with creamy white flowers in spring. Hardy, adaptable requires full sun and well-drained soil for best flowering. This is a handsome specimen plant with profuse and pungent needle-like foliage.

Harpulia pendula TULIPWOOD

Small to medium rainforest tree to 15m. Fruit an ornamental orange seed case and shiny black seed. Hardy and adaptable, although prefers rich well-drained soils, ample moisture and nutrients and protection from frost will promote growth in the early stages.

Hibbertia scandens SNAKE VINE

Vigorous climbing or trailing vine of coastal areas. With no support it forms a dense ground cover. Large yellow flowers throughout most of the year. Hardy and fast-growing in almost any conditions except extreme cold.

Hibiscus splendens PINK HIBISCUS / HOLLYHOCK TREE **Bushtucker**

Large shrub or small tree to 6m with showy pale pink flowers. Bristly, hairy rosella-like fruit. Aborigines reportedly ate young shoots, leaves and roots. Flowers were eaten raw or cooked. The bark fibre was used to make dilly bags or hunting nets. Adaptable and fast-growing, but not long-lived.

Homalanthus nutans BLEEDING HEART **NEW**

Large rainforest shrub to 5m. Decorative heart-shaped leaves turn to red. Fast-growing pioneer plant, hardy in sun or shade with ample moisture.

Hoya australis WAX FLOWER **NEW**

Climber with fleshy leaves and white waxy flowers during late autumn and winter. Hardy in dry and exposed conditions; sun or shade (leaves appear darker in shaded situations) Flowering may last for weeks during late autumn and winter and recurs in successive years from the same shrubby stalk.

Hovea acutifolia POINTED-LEAF HOVEA (white) **NEW**

Rounded bushy shrub to 2m. Masses of dark white pea flowers along branches in spring. Prefers moist semi-shade but tolerates full sun and drier conditions. A very fast growing ornamental bushy shrub with attractive foliage

Hymenosporum flavum NATIVE FRANGIPANI

Large shrub to small rainforest tree 5 – 15m. Attractive perfumed white-yellow flowers in spring. Hardy and fast growing in a wide range of situations.

Indigofera australis AUSTRALIAN INDIGO

Small perennial shrub to 1.8m. Mauve-pink to red, pea-like flowers throughout the year. Leaves are made up of many blue-green leaflets with hairy undersides. The racemes are mauve-pink to magenta-red and appear throughout the year in warm climates.

Juncus usitatus COMMON RUSH – TUSSOCK RUSH

Freshwater rhizomatous rush to 1.2m. Stiff, dense, tufted flowers mainly spring to summer. Requires consistent wet ground; grow in sandy soil, in wet areas, along creek banks and in ponds and bogs.

Lepironia articulatum GREY SEDGE

Perennial clumping sedge to 2m. Commonly grows at the edges of deep pools in coastal lowland swamps and bank of lagoons and lakes. Produces a reddish-brown cylindrical flower head all year round.

<i>Leptospermum petersonii</i> LEMON SCENTED TEA TREE A very popular medium shrub 3–5m. Small white flowers in early summer. The leaves produce a lovely lemon scent when crushed and the species has been used for oil distillation. Can be used effectively for screening and windbreaks and kept to shape with gentle pruning.
<i>Leptospermum polygalifolium</i> WILD MAY Shrub of dry heath and open forest to 3m. Adaptable and hardy, masses of white flowers in spring. Prune after flowering to keep bushy. Suitable as a screen or windbreak
<i>Lomandra hystrix</i> MAT RUSH Grows in clumps to 1m. Hardy and adaptable, suits wet or dry areas, as creek/dam stabilisation or garden feature. Pale yellow-perfumed flower spikes. Very difficult to distinguish from the widespread <i>L. longifolia</i> .
<i>Lomandra longifolia</i> MAT RUSH Grows in clumps to 1m. Hardy and adaptable, suits wet or dry areas, as creek/dam stabilisation or garden feature. Pale yellow-perfumed flower spikes.
<i>Lophostermum confertus</i> BRUSH BOX—BRISBANE BOX NEW Tall rainforest or open forest tree ± 30m with small white flowers. Hardy, adaptable and fast growing. Small seeds are released from the woody capsule as it dries and will germinate quickly. It makes an excellent revegetation and timber species.
<i>Macaranga tanarius</i> MACARANGA Pioneer rainforest tree to 6m. Small greenish-yellow flowers. Fruit are green bird-attracting berries, on female trees only. Hardy and fast growing pioneer tree growing naturally in sandy soils and stony clays.
<i>Mallotus mollissimus</i> SOFT KAMALA Small rainforest tree to 12m. Small yellow-green male or female flowers. Fruit are three-lobed capsules, hairy and grey-brown. Hardy and adaptable in a variety of conditions.
<i>Melaleuca quinquenervia</i> COMMON PAPER PARK 'Koala Food Tree' Tree 12-14m of wallum and swampy coastal areas. Hardy and frost tolerant. Excellent for wet sites but will withstand hot, dry soils once established. Adaptable to most conditions
<i>Melaleuca salicina</i> WEEPING WHITE BOTTLEBRUSH Bushy small shrub to 8m. Attractive pinkish new growth. Prolific creamy white, nectar-rich flowers attract birds. Tolerates moist sites. Hardy in a variety of situations. Useful screen specimen.
<i>Melaleuca thymifolia</i> PINK LACE — THYME HONEY-MYRTLE Small spreading aromatic wallum shrub to 1m. Showy mauve-pink flowers throughout the year. Hardy and adaptable to diverse conditions. Suitable for badly drained situations. Frost tolerant. Flowers best in full sun.
<i>Melaleuca viminalis</i> WEEPING RED BOTTLEBRUSH NEW Small to medium tree 5-10m. Hardy and adaptable, prefers moist well drained soil, can be pruned to size. Weeping foliage, prolific red flowers in spring attract birds. Useful screen tree.
<i>Melia azedarach</i> WHITE CEDAR — PERSIAN LILAC Small graceful rainforest tree to 10m. Fragrant lilac flowers in spring, fern-like foliage. Fruit are ornamental, bird-attracting, yellow berries. Fast growing in a variety of soils and conditions.
<i>Melicope elleryana</i> PINK EUODIA Hardy and fast-growing rainforest tree ±12m. Pioneer species for moist areas or creek banks; adapts to drier sites. Striking clusters of pink flowers along branches attract birds and butterflies. Makes a great shade tree.
<i>Mischocarpus pyriformis</i> PEAR-FRUITED TAMARIND - BRUSH APPLE Small to medium tree rainforest tree to 10m. Small white scented flowers. Attractive orange pear-shaped fruit in early summer. Prefers light, well-drained loamy soils with adequate moisture. Slow growing. Suitable container plant.

<i>Myoporum boninense</i> subsp. <i>australe</i> MANGROVE BOOBIALLA Prostrate shrub to 50cm with 1.5m spread. Small clusters of white flowers in Summer and Autumn. Hardy and adaptable, although prefers sandy, acidic soil types with good drainage.
<i>Myrsine variabilis</i> MUTTONWOOD Large shrub or small tree to 5m. Small white flowers in winter. Masses of small magenta berries in spring. Hardy and adaptable in well-drained soil.
<i>Neolitsea dealbata</i> WHITE BOLLY GUM Small rainforest understory tree to 10m. Rusty, fragrant flowers in late summer. Aromatic bird-attractive black berries in autumn. Fairly hardy with initial protection. Pruning will help encourage bushiness.
<i>Oxylobium robustum</i> GOLDEN SHAGGY PEA Tall bushy shrub to 3 metres. Masses of orange flowers in spring. Hardy and adaptable for native gardens as an understorey shrub.
<i>Pandorea jasminoides</i> BOWER OF BEAUTY — SCRUB WONGA VINE Vigorous rainforest vine or colourful ground cover. Large tubular white to pink flowers with a crimson throat. Pruning can induce a compact habit. Easy to grow in full sun or semi-shade.
<i>Pararistolochia praevenosa</i> RICHMOND BIRDWING BUTTERFLY VINE Vigorous rainforest vine. Food host to the endangered Richmond Birdwing Butterfly. Pinkish, tubular shaped flowers with bright yellow inside, Sep-Dec. Part sun to semi-shade in moist, well-drained soil.
<i>Petalostigma pubescens</i> BITTER BARK Shrub or small tree 2 –10m. Cream to light brown flowers borne on separate plants in summer and autumn. Orange-yellow, segmented fruit, globular to egg-shaped. Occurring in sandy coastal open forest. Hardy and adaptable.
<i>Petalostigma triloculare</i> QUININE BERRY Shrub or small open forest tree to 5m. Extremely hardy and adaptable. Full sun or part shade. Decorative orange/red fruit, non-edible. Great subject for decorative screening in poor soils where other plants may fail.
<i>Philydrum lauginoshum</i> FROGSMOUTH - WOOLY FROGSMOUTH Tuberous, perennial herb to 1.5m. Lovely yellow flowers appear during most of the year. Provides food and cover for birds and native frogs. Excellent subject for both environmental and ornamental plantings for ponds, dams or creek banks. Requires reliable supply of moisture. Full sun or part shade
<i>Phyllanthus microcladus</i> SMALL-LEAF PHYLLANTHUS Small understory rainforest species to 2.5m Hardy and adaptable in semi-shade or sun. Found in most types of rainforest. Small leaves and multiple brances with tiny pendulous flowers that appear white from April to June. Fruits are small and brownish in colour.
<i>Pipturus argenteus</i> NATIVE MULBERRY Bushtucker Medium shrub or small rainforest tree to 8m. Occurs on rainforest margins of rainforests in moist habitats. Small white flowers develop into white fleshy sweet edible fruits. Excellent species for re-establishing rainforest as it attracts many fruit and insect eating birds.
<i>Pittosporum undulatum</i> SWEET PITTOSPORUM — NATIVE DAPHNE Small rainforest tree 8-10m. Perfumed white flowers in spring. Fruit are long-lasting orange berries that attract birds. Hardy, adaptable and fast growing.
<i>Podocarpus elatus</i> BROWN PINE Bushtucker Attractive rainforest tree 10-20m. Hardy in a variety of situations; can be slow-growing at first. Plum-like, edible fruit suitable for jams and jellies, attracting birds. Cabinet timber uses.
<i>Psychotria loniceroides</i> HAIRY PSYCHOTRIA Rainforest understory shrub to about 3m. Yellowish-white flowers in clusters Feb-Apr. Fruit a small lemon-yellow berry attractive to birds, especially the Green Catbird. Hardy, but prefers ample moisture.

<p><i>Pultenaea retusa</i> EGGS AND BACON</p> <p>Small shrub to 1m. Orange-yellow pea flowers during winter and spring. Attractive small and sparsely branched shrub that is often seen growing in sandy and stony soils in swampy areas on coastal hills and ranges.</p>
<p><i>Sannantha similis</i> TWIGGY MYRTLE</p> <p>Small weeping shrub ± 3m. Masses of tiny white flowers in spring and summer. Hardy in sun or part shade in a well-drained position. A particularly attractive shrub with a dense twiggy round top and ascending spreading branches. The fine leaves are dark green and oblong in shape.</p>
<p><i>Sarcopteryx stipata</i> STEELWOOD — CORDUROY TREE</p> <p>Small rainforest tree to 10m. Small creamy-white flowers. Red fruit with yellow aril in spring and summer. Grows in sun or shade, preferring rich soil, plenty of water and no grass competition.</p>
<p><i>Stenocarpus sinuatus</i> WHEEL OF FIRE</p> <p>Popular rainforest tree to around 7m. Dense, columnar growth with dark glossy leaves. Distinctive bright orange/red blossoms arranged in a wheel in summer and flowering inside the outer foliage. Protect from frost and wind in the early stages.</p>
<p><i>Syncarpia glomulifera</i> TURPENTINE</p> <p>Tall hardwood tree to ± 25m. Fluffy white bird-attracting flowers in spring. Distinctive woody fruit capsules. Hardy and fast growing for shade or timber. Adaptable to a variety of sites. Useful as a windbreak.</p>
<p><i>Syncarpia hillii</i> SATINAY-FRASER ISLAND TURPENTINE- PIBIN</p> <p>A tall hardwood forest tree to 50m with fluffy white bird-attracting flowers in spring. Hardy and fast growing; adaptable to a variety of sites. Satinays are the most famous trees growing on Fraser Island.</p>
<p><i>Syzygium australe</i> BRUSH CHERRY—SCRUB CHERRY</p> <p>Small rainforest tree ± 6m with masses of small white fluffy flowers in summer and autumn. A crisp edible pinkish-red berry fruit. Fast growing, hardy and adaptable to a wide range of soils and conditions.</p>
<p><i>Syzygium francisii</i> FRANCIS' WATER GUM — GIANT WATER GUM</p> <p>Beautiful medium rainforest tree 10 — 25m. Small white flowers in summer. Ornamental purple edible fruit in large numbers Jan – March, attract wildlife. Tolerates full sun and light frost. Young leaves are brilliant red or pink and make this a superb container plant.</p>
<p><i>Tabernaemontana pandacaqui</i> BANANA BUSH</p> <p>A dark-leaved open shrub ± 2m related to the Oleander. White windmill-shaped flowers are followed by pretty, but inedible yellow banana-like fruit. Hardy but prefers filtered light. Sometimes defoliated by caterpillars.</p>
<p><i>Toona ciliata</i> RED CEDAR</p> <p>Rainforest cabinet timber tree to 20m. Fast-growing with attractive foliage and pink new growth. Easily grown if given adequate moisture, fertilizer and shelter from frost in the first two years. Tiny white flowers in spring. Makes a tall handsome shade tree.</p>
<p><i>Tristaniopsis laurina</i> WATER GUM</p> <p>Rainforest tree ±8m. Clusters of small mustard-yellow flowers spring to summer. Hardy in diverse conditions including wet soil. Regular fertiliser will produce a more attractive tree. Sun or part shade. Tolerates medium frost.</p>
<p><i>Trophis scandens</i> BURNY VINE – FIRE VINE – SMARTY SMARTY <i>Bushtucker</i></p> <p>Vigorous rainforest climber. Creamy-green flowers; male in spikes – female in globular head, September to February; fruit a red ovoid berry. Hardy in a closed to open forest situation with adequate moisture.</p>
<p><i>Viola banksii</i> (formerly <i>Viola hederacea</i>) NATIVE VIOLET <i>Bushtucker</i></p> <p>Ground cover, found normally in wet eucalypt forests. This pretty little herb is a welcome addition to local gardens and rockeries. In the right conditions, it forms dense mats of a few centimetres high. Will withstand shade or full sun provided the area is moist. Edible flowers.</p>
<p><i>Waterhousia floribunda</i> WEEPING LILLY PILLY</p> <p>Medium rainforest tree 10+m. Small fluffy white flowers Oct–Dec. Fruit a greenish-white berry Jan-May. Well-drained soil with adequate moisture. Part shade to full sun. Found usually along water courses.</p>

Wikstroemia indica TIE BUSH – BOOTLACE BARK

Small shrub 1-2m. Pale green/cream flower heads spring and autumn. Fruit a succulent bright red berry. (*Fruit and leaves toxic if eaten*): Hardy in all well drained soil types.